


# DEPENDABLE. EFFICIENT. RELIABLE.

Experience the quality and diversity of the AIC brand

Heat Exchanger Type	Nominal Capacity		Hot Water				Cold Water			
			Flow		Pressure drop		Flow		Pressure drop	
	kW	Btu/hr	l/min	USGPM	kPa	psig	l/min	USGPM	kPa	psig
<b>B 45</b>	13	45.000	23	6.08	6.2	0.90	150	39.63	7.4	1.07
<b>B 70</b>	20	70.000	25	6.60	7.5	1.09	170	44.91	9.2	1.33
<b>B 130</b>	38	130.000	27	7.13	8.1	1.17	200	52.83	11.4	1.65
<b>B 180</b>	53	180.000	30	7.93	2.7	0.40	210	55.48	7.5	1.10
<b>B 250</b>	73	250.000	35	9.25	4.2	0.60	270	71.33	12.0	1.70
<b>B 300</b>	88	300.000	40	10.57	6.4	0.90	300	79.25	17.0	2.50
<b>B 400</b>	117	400.000	46	12.42	7.8	1.13	342	90.10	20.0	2.90
<b>B 500</b>	146	500.000	55	14.53	9.2	1.30	360	95.10	22.0	3.20
<b>B 1000</b>	293	1,000.000	95	25.10	16.2	2.35	705	185.24	29.1	4.22

The B-line was designed with efficiency in mind. Built to perform at high fluid velocities with low pressure drops, its complete stainless steel 316L welded structure defines strength and durability. The B-lines corrugated tubes also promote fluid turbulence and act as a self-cleaning feature.



Heat Exchanger Type	Nominal Capacity		Hot Water				Cold Water			
			Flow		Pressure drop		Flow		Pressure drop	
	kW	Btu/hr	l/min	USGPM	kPa	psig	l/min	USGPM	kPa	psig
<b>T100</b>	29	98000	22	5.8	11	1.6	250	66	9	1.3
<b>T100SS</b>	29	98000	22	5.8	11	1.6	250	66	9	1.3
<b>T200</b>	57	195000	30	7.9	28	4.1	300	80	16	2.3
<b>T200SS</b>	57	195000	30	7.9	28	4.1	300	80	16	2.3
<b>T300</b>	87	298000	35	9.2	38	5.5	350	92	20	2.9
<b>T300SS</b>	87	298000	35	9.2	38	5.5	350	92	20	2.9
<b>T400</b>	113	385000	40	10.6	65	9.4	400	106	25	3.6
<b>T400SS</b>	113	385000	40	10.6	65	9.4	400	106	25	3.6

The Tee Line construction is designed for all types of swimming pool applications, including salt water pools. It is available with either stainless steel 316L coils or titanium coils.


## Tee Line innovation

The innovative distinct Tee Line design is a fusion of functionality and cutting edge thermal technology. The unique geometry of the Tee Line optimizes flow turbulence and increases the heat transfer coefficient, and along with its versatile assembly, provides the perfect solution for your diverse applications.

## Titanium technology:

Designed for environments that are typically considered corrosive to standard materials, the combination of titanium and composite materials make the Tee Line products ideal for use in marine, salt water, and other aggressive applications.

As part of our value focused family of products, we are introducing a heat exchanger that is efficient in nature, compact in design, and innovative at heart.



*We have the right heat exchanger for all your pool and spa needs*